



**GUARDIAN**<sup>®</sup>

## **FAB3W**

Retractable Type  
Fall Arrester

The Guardian FAB3W is the longest of our lightweight Retractable Type Fall Arresters (RTFA). With a compact footprint, lengths ranging from 3m to 4m, and a variety of connectors available, the versatile FAB3W will fit a range of applications. For ease of inspection the FAB3W is now available with high-contrast yellow webbing.

This multipurpose RTFA can be used either in a Fall Restraint or Fall Arrest application and must be used in combination with an overhead anchor point.

**HEIGHT SAFETY.  
SIMPLIFIED.**

[guardianfall.com](http://guardianfall.com)



# FAB3W

Retractable Type Fall Arrester



## Key features & benefits

### Thermoplastic housing

Super lightweight & durable

### Rubber housing grips

For comfort and ergonomic handling; impact resistant

### HMPE webbing lifeline

Improved abrasion resistance

### External shock absorber

Designed to minimize arrest forces

### Multiple hook options available

Choose between a scaffold or twist-lock scaffold hooks, or a swivel karabiner, depending on job requirements and demands/needs

## Specifications

**User weight range** | Up to 150Kg

**Materials** | PC/ABS, aluminium alloy, steel, stainless steel, nylon, PTFE and HMPE webbing

## Hook Options



Aluminium twist-lock scaffold hook



Aluminium swivel karabiner



Aluminium scaffold hook



Steel swivel karabiner

## Lifespan

Guardian products that consist of textile components of any kind have a maximum lifespan of 10 years from the date of manufacture.

## Cleaning

Textiles must only be cleaned with plain water (not exceeding 50°C) or, if plain water is not sufficient, with a mild soap/water solution.

## Inspection

Prior to EACH use, inspect the equipment and connection points for signs of deficiencies, including, but not limited to, corrosion, deformation, pits, burrs, rough surfaces, sharp edges, cracking, rust, paint build-up, excessive heating, alteration, broken stitching, fraying, missing or illegible labels.

## Compliance

This product is fully compliant with the following safety standards: **EN360:2002** | **CE** | **UKCA**

# FAB3W

## Retractable Type Fall Arrester



Part number	Lifeline material	Hook type	Length	User weight range
10224-A	HMPE Webbing	Aluminium twist-lock scaffold hook	3m	Up to 150Kg
10224-B	HMPE Webbing	Aluminium swivel karabiner	3m	Up to 150Kg
10224-C	HMPE Webbing	Aluminium scaffold hook	3m	Up to 150Kg
10224-D	HMPE Webbing	Aluminium scaffold hook	3.3m	Up to 150Kg
10225	HMPE Webbing	Steel swivel karabiner	3m	Up to 150Kg
10226-A	HMPE Webbing	Aluminium twist-lock scaffold hook	4m	Up to 150Kg
10226-B	HMPE Webbing	Aluminium scaffold hook	4m	Up to 150Kg

For more information:

**+44 1795 580333**

**[enquiries@guardianfall.com](mailto:enquiries@guardianfall.com)**



Designed, tested,  
and assembled in the  
**United Kingdom**